




Owner's Manual 5FT Tower, Platform, Landing & Optional 5FT Tower Extension



**READ, UNDERSTAND,
FOLLOW ALL WARNINGS
AND INSTRUCTIONS BEFORE
ASSEMBLING, INSTALLING
OR USING THIS PRODUCT!**

Review additional instructions
online at ramblinds.com

* Image is for reference only. Always
follow all local building codes to properly
construct wooden tower and ladder.



**Approximate
Assembly Time
2 Hours**

**THIS OWNER'S MANUAL MUST ALWAYS ACCOMPANY THIS PRODUCT AND BE TRANSFERRED WITH IT UPON
CHANGE OF OWNERSHIP, WHEN LOANED, OR PRESENTED TO ANOTHER PERSON.**



INTRODUCTION

Thank you for purchasing our RAM Blinds Quad Pod Tower. This product is designed by hunters, for hunters. It is engineered for safety, security, comfort, and stealth, putting the odds in your favor when the moment of truth arrives. Constructed with only the highest quality materials it’s built for years of satisfying hunts. Read this instruction manual and all warnings in its entirety before assembling, installing or using this product. If you have any questions on assembly, use, safety warnings, or anything else, please contact us by email at sales@ramblinds.com.

CONTENTS

Introduction 2

Warnings 3-4

No Alterations, Building Location and Tools Needed 5

Parts List, Bolt Pack..... 6-16

Assembly Instructions17-32

Anchoring Tower 33

Use 34

Maintenance and Troubleshooting 35

Limited Warranty 36

Note: Before beginning assembly of product, make sure all parts are present. Compare parts with package content list and hardware contents. If any part is missing or damaged do not attempt to assemble the unit. Contact customer service for replacement parts.

WARNINGS

ATTENTION !

 **WHEN YOU SEE A  SYMBOL OR THE WORD "WARNING!" BE SURE TO READ THE MESSAGE! THE INFORMATION CONTAINED IN THESE MESSAGES CAN SAVE YOUR LIFE OR PREVENT SERIOUS INJURY!! BE SAFE! FOLLOW ALL WARNINGS!! FAILURE TO FOLLOW ALL WARNINGS MAY RESULT IN SERIOUS INJURY OR DEATH!**

WARNING

YOU MUST READ, UNDERSTAND, FOLLOW ALL WARNINGS AND INSTRUCTIONS BEFORE USING THIS PRODUCT!

TOTAL WEIGHT LIMIT – 800 LBS (Maximum 300lbs Per Person) Includes Persons, Gear, Blind, Etc.

MAXIMUM BUILD HEIGHT – 10 FEET

THIS PRODUCT CARRIES A STRICT HEIGHT AND WEIGHT RESTRICTIONS. DO NOT EXCEED TOTAL HEIGHT AND WEIGHT LIMIT. WEIGHT LIMIT INCLUDES THE USER(S) AND EQUIPMENT.

Questions contact us by email at sales@ramblinds.com.

Always follow safe weapon/firearm handling practices.

FAILURE TO FOLLOW THESE INSTRUCTIONS CAN RESULT IN SERIOUS INJURY OR DEATH!

WARNING

 **FALLS FROM QUAD POD TOWER CAN OCCUR ANYTIME AFTER LEAVING THE GROUND RESULTING IN EITHER SERIOUS INJURY OR DEATH!**

 **For your safety**, read and understand this user's manual in its entirety before attempting to assemble, setup, install and/or otherwise use this product. Contact us by email at sales@ramblinds.com for any questions. Failure to do so could result in serious injury or death! Minimally review contents of this user's manual annually.

 Safe use of this product(s) is sole responsibility of the user to provide any person(s) who borrows, uses or purchases this product with the owner's manual and all warning prior to use. Do not allow a person to use this product(s) that has not reviewed all instructions and warnings. Failure to follow these instructions may result in serious injury or death! Store user's manual and warnings in a safe location where they can be shared with potential users and must be reviewed annually. If user's manual or warnings are lost, email sales@ramblinds.com for assistance.

WARNING

 **Prior to each hunt**, make certain you have a signaling device (e.g., mobile phone, cell phone, radio, whistle, signal flare, Personal Locator Device [PLD], etc.) in your possession and on your person in an operable condition. This device must be within easy access should you experience the need to contact emergency assistance. Failure to follow this instruction may result in serious injury or death!

 **Before each use** inspect Quad Pod Tower before each use for ground erosion, any damage, including but not limited to corrosion, wear, cracks, rot, damage, deterioration, vandalism, fraying or other damage. DO NOT USE If ground erosion or damage is visible or suspected. If there are any questions, DO NOT use and contact us by e-mail sales@ramblinds.com. Failure to follow these instructions may result in serious injury or death!

 **Stabilization** devices must be attached before climbing to platform.

 **For adult use only.** No one under the age of 18 should attempt to use this or any other RAM product without direct adult supervision.

 **Never** use this product while taking drugs (even prescription drugs) or alcohol.

 **Never** use this product when feeling sleepy, ill, nauseous, dizzy or if you have prior medical condition that could cause a problem i.e., heart condition, joints that lock-up, spinal fusions, etc. or if you are not well rested or if you are not athletically fit. **Never** sleep in free standing platform.

 **Never** use this product during inclement weather such as rain, lightning, windstorms, snowstorms or icy conditions and end your hunt and return to the ground if inclement conditions arise.

WARNINGS

ATTENTION !

 **WHEN YOU SEE A  SYMBOL OR THE WORD "WARNING!" BE SURE TO READ THE MESSAGE! THE INFORMATION CONTAINED IN THESE MESSAGES CAN SAVE YOUR LIFE OR PREVENT SERIOUS INJURY!! BE SAFE! FOLLOW ALL WARNINGS!! FAILURE TO FOLLOW ALL WARNINGS MAY RESULT IN SERIOUS INJURY OR DEATH!**

WARNING

-  **DO NOT** modify, fix/repair, alter, bend, cut, weld, or heat this product in any way. Failure to follow these instructions may result in serious injury or death!
-  **DO NOT** lean out from platform or against blind walls, windows, or handrails for any reason. Never jump, bounce, hop, rock back and forth, etc. on or on Quad Pod Tower. Do not stand, climb, sit or lean on hand rails. Always stay centered on platform with minimal movement. Failure to follow these instructions may result in serious injury or death!
-  **Never** jump from/on or bounce on platform for any reason. Failure to follow these instructions may result in serious injury or death!
-  **Always** use at least (7) adults to assemble, install and/or take down this Quad Pod Tower. Failure to follow these instructions may result in serious injury or death!
-  **Always** avoid electrical power lines.
-  **Always** check ground under Quad Pod Tower to make sure it is level and firm. Never climb ladder or use Quad Pod Tower if ground is not level and firm. Un-level / sloping ground, erosion or uneven surfaces (e.g. one foot on a rock or soil erosion under foot) can cause Quad Pod Tower to tilt or shift as you climb into or use elevated blind. Always make sure platform is level before using elevated blind. Always properly anchor elevated blind to the ground using included ground stakes. Failure to follow these instructions may result in serious injury or death!
-  **Before** anchoring Quad Pod Tower always contact local or national utilities agency for location of electric lines, gas lines, fiber optic lines, etc. Contact with utility lines may result in serious injury or death!

WARNING

-  **Use heat source at your own risk – FIRE AND CARBON MONOXIDE HAZARD IN ENCLOSED AREA** – Follow heat source instructions, warnings and use proper ventilation requirements. Failure to follow this instruction may result in serious injury or death!
-  **Only** use Quad Pod Tower for its intended purpose of allowing a hunter to climb and hunt from an elevated positions. Do not use for any other purpose.
-  **Always** check every ladder sections connection before you leave the ground. If ladder sections are separating, DO NOT USE Quad Pod Tower. Failure to follow these instructions may result in serious injury or death!
-  **Always** maintain 3 points of contact when climbing up/down ladder and in/out of Quad Pod Tower. Proper 3 point contact means having either two feet with one hand or one foot with two hands on ladder at all times when climbing up/down and in/out of Quad Pod Tower.
-  **Always** Lean forward as you climb ladder.
-  **Never** rely on a tree branch for support.
-  **Always** pull up a bow, backpack, or firearm or other equipment only after being secured on the Quad Pod Tower. Firearms must be pulled up with it unloaded, chamber open, and muzzle down.
-  **Always** inform someone of hunting location, where Quad Pod Tower is be located, and expected duration of hunt. Have second adult present or at least accessible by cell phone or other means when using this product. Ability to get help quickly may save your life in event of a fall.

NO ALTERATIONS OR MODIFICATIONS:

WARNING

Do not remove, modify any portion or otherwise mechanically modify this product or its assemblies in any manner. Make certain that all parts are used in the assembly of this product. Parts are designed and tested to work together. Modification, additions, misuse, part omission or substitution voids warranty and may result in serious injury or death! If a part(s) is missing and/or damaged, immediately email sales@ramblinds.com for assistance. Never modify this product in any way by making repairs, altering, omitting, adding or attaching anything to it. ALWAYS USE GENUINE FACTORY AUTHORIZED RAM REPLACEMENT PARTS. USE OF ANY REPLACEMENT PARTS OTHER THAN GENUINE PARTS VOIDS WARRANTY AND RELIEVES RAM OF ANY RESULTANT LIABILITIES AND MAY RESULT IN SERIOUS INJURY OR DEATH!

This product is designed to function properly in its original condition. Alterations or modifications can make it unsafe and constitute a misuse of the product. Do not alter, add, modify or substitute parts or accessories not made by RAM.


SELECTING BUILDING LOCATION:

WARNING


Never install Quad Pod Tower under or near overhead utility lines or poles. Always stay minimum of 50 feet away. Always check ground under Quad Pod Tower to make sure it is level and firm. Un-level/sloping ground or uneven surfaces (e.g. one foot on a rock) can cause Quad Pod Tower to tilt or shift as you climb into or use this product. Always make sure platform is level before using this product. If it is not, select a new level location. Before anchoring Quad Pod Tower always contact your local or national utilities agency for location of electric lines, gas lines, fiber optic lines, etc. Contact with utility lines may result in serious injury or death! FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH!

Select a location where ground is level and firm. Always assure platform is level by placing level on platform. Level platform by removing or adding soil under foot pads of Quad Pod Tower.





5FT TOWER (PACKED IN 3 BOXES)







10FT TOWER EXTENSION (Parts Shown in Blue.) Separately Packed in 1 Box.





PARTS LIST AND NOMENCLATURE:

PART #	DESCRIPTION	PICTURE	QTY.	Box#
1	Middle Platform		2	5ft Box2
2	Right Platform		2	5ft Box1
3	Left Platform		2	5ft Box1
4	Platform Support Bar (Length: 1232mm/48.5")		6	5ft Box3
5	Bent Leg Supports		4	5ft Box2
6	Upper Leg Sections (Length: 1299mm/51.2")		4	5ft Box3
7	Blind Brackets		8	5ft Box3


PARTS LIST AND NOMENCLATURE:

PART #	DESCRIPTION	PICTURE	QTY.	Box#
8	Entry Platform Support Bar (Length:925mm/36.4")		2	5ft Box3
9	Entry Platform		1	5ft Box2
10	Entry Platform Handrail		2	5ft Box1
11	Entry Platform Brackets		2	Bolt Pack of 5ft
12	Bent Ladder Supports		2	5ft Box2
13	Upper Ladder Section		1	5ft Box3
14	Ladder Support Bar #1 (Length:822mm/32.36")		2	5ft Box3







PARTS LIST AND NOMENCLATURE:

PART #	DESCRIPTION	PICTURE	QTY.	Box#
15	Ladder Handrail		2	5ft Box2
16	Leg Brackets		8	Bolt Pack of 5ft
17	Male Cross Brace (Length: 1097mm/43.2")		8	5ft Box3
18	Stand Feet		4	5ft Box3
19	Female Cross Brace/ Female Bottom Cross Brace (Length: 1097mm/43.2")		12	8pcs in 5ft Box3, 4pcs in 10ft Box1
20	Ladder Feet		2	5ft Box3
21	Ground Stakes		6	5ft Box3







PARTS LIST AND NOMENCLATURE:

PART #	DESCRIPTION	PICTURE	QTY.	Box#
22	Lower Leg (Length: 1674mm/65.9")		4	10ft Box1
23	Middle Cross Brace (Length: 1007mm/39.64")		8	10ft Box1
24	Male Bottom Cross Brace (Length: 1456mm/57.32")		4	10ft Box1
25	Lower Ladder Section		1	10ft Box1
26	Ladder Bracket		2	Bolt Pack of 10ft
27	Ladder Support Bar #2 (Length: 1408mm/55.44")		2	10ft Box1







BOLT PACK AND NOMENCLATURE(PUT IN 5FT BOX 2 AND 10FT BOX 1):

Step 1	M8X55 Bolt (with 2 steel washers and 1 locknut)	 A technical drawing of an M8X55 bolt assembly. It shows a bolt with a hexagonal head on the left, a threaded section in the middle, and a hexagonal nut on the right. Two steel washers are positioned between the bolt head and the nut. A dimension line above the bolt indicates a length of M8x55.	Qty 24
Step 2	M8X75 Bolt (with 2 steel washer and 1 locknut)	 A technical drawing of an M8X75 bolt assembly. It shows a bolt with a hexagonal head on the left, a threaded section in the middle, and a hexagonal nut on the right. Two steel washers are positioned between the bolt head and the nut. A dimension line above the bolt indicates a length of M8x75.	Qty 24
Step 3	M8X85 Bolt (with 2 steel washers and 1 locknut)	 A technical drawing of an M8X85 bolt assembly. It shows a bolt with a hexagonal head on the left, a threaded section in the middle, and a hexagonal nut on the right. Two steel washers are positioned between the bolt head and the nut. A dimension line above the bolt indicates a length of M8x85.	Qty 8
Step 4	M6X55 Bolt (with 2 steel washers and 1 locknut)	 A technical drawing of an M6X55 bolt assembly. It shows a bolt with a hexagonal head on the left, a threaded section in the middle, and a hexagonal nut on the right. Two steel washers are positioned between the bolt head and the nut. A dimension line above the bolt indicates a length of M6x55.	Qty 4
Step 5	M6X16 Bolt (with 1 steel washer and 1 spring washer)	 A technical drawing of an M6X16 bolt assembly. It shows a bolt with a hexagonal head on the left, a threaded section in the middle, and a spring washer on the right. A dimension line above the bolt indicates a length of M6x16.	Qty 16
Step 6	M8X80 Bolt (with 2 steel washers and 1 locknut)	 A technical drawing of an M8X80 bolt assembly. It shows a bolt with a hexagonal head on the left, a threaded section in the middle, and a hexagonal nut on the right. Two steel washers are positioned between the bolt head and the nut. A dimension line above the bolt indicates a length of M8x80.	Qty 2







BOLT PACK AND NOMENCLATURE(PUT IN 5FT BOX 2 AND 10FT BOX 1):

Step 7	M8X45 Bolt (with 2 steel washers and 1 locknut)		Qty 8
Step 8A& 8C	M8X40 Bolt (with 2 steel washer and 1 locknut) Step8A: 2pcs Step8C: 2pcs		Qty 4
Step 8B	M8X60 Bolt (with 2 steel washers and 1 locknut)		Qty 2
Step 9	M8X85 Bolt (with 2 steel washers and 1 locknut)		Qty 4
Step 10	M8X35 Bolt (with 2 steel washers and 1 locknut)		Qty 2
Step 11	M8X55 Bolt (with 2 steel washers and 1 locknut)		Qty 4



BOLT PACK AND NOMENCLATURE(PUT IN 5FT BOX 2 AND 10FT BOX 1):

Step 12	M8X55 Bolt (with 2 steel washers and 1 locknut)		Qty 4
Step 13	M6X55 Bolt (with 2 steel washer and 1 locknut)		Qty 4
Step 14	M6X20 Bolt (with 2 steel washers and 1 locknut)		Qty 8
Step15/ Step22	M6X55 Bolt (with 2 steel washers and 1 locknut)		Qty 4
Step16/ Step20	M6X55 Bolt (with 2 steel washers and 1 locknut)		Qty 4
Step17A /Step25 A	M6X30 Bolt (with 2 steel washers and 1 locknut)		Qty 8

BOLT PACK AND NOMENCLATURE(PUT IN 5FT BOX 2 AND 10FT BOX 1):

Step17B/ Step25B	M6X20 Bolt (with 2 steel washers and 1 locknut)		Qty 8
Step18/ Step28	M8X35 Bolt (with 2 steel washer and 1 locknut)		Qty 2
Step 21	M6X55 Bolt (with 2 steel washers and 1 locknut)		Qty 4
Step 23	M6X30 Bolt (with 2 steel washers and 1 locknut)		Qty 8
Step 24	M6X30 Bolt (with 2 steel washers and 1 locknut)		Qty 4
Step 26	M8X35 Bolt (with 2 steel washers and 1 locknut)		Qty 2

BOLT PACK AND NOMENCLATURE(PUT IN 5FT BOX 2 AND 10FT BOX 1):

Step 27A	M8X60 Bolt (with 2 steel washers and 1 locknut)		Qty 2
Step 27B	M8X20 Bolt (with 2 steel washer and 1 locknut)		Qty 2

TOOLS REQUIRED (PROVIDED)

1	Wrench (2 pcs)	
---	-------------------	--

ASSEMBLY INSTRUCTIONS:

Step 1:

Take **Part#1 Middle Platform (1pc)** from **5ft Box2**.

Take **Part#2, #3, Left Platform (1pc)** and **Right Platform (1pc)** from **5ft Box1**.

By using **24pcs M8x55 Bolt** from **Bolt Pack Step1** for assembly as shown in the Figure 1.




Figure 1

Step 2:

Take **Part#4 Platform Support Bar (6pcs)** from **5ft Box3**.

By using **24pcs M8x75 Bolt** from **Bolt Pack Step2** for assembly as shown in the Figure 2.




Figure 2

ASSEMBLY INSTRUCTIONS:

Step 3:

Take **Part#5 Bent Leg Supports (4pcs)** from **5ft Box2**.

By using **8pcs M8x85 Bolt** from **Bolt Pack Step3** for assembly as shown in the Figure 3.




Figure 3

Step 4:

Take **Part#6 Upper Leg Sections (4pcs)** from **5ft Box3**.

By using **4pcs M6x55 Bolt** from **Bolt Pack Step4** for assembly as shown in the Figure 4.




Figure 4

ASSEMBLY INSTRUCTIONS:

Step 5:

Take **Part#7 Blind Brackets** (8pcs) from **5ft Box3**.

By using **16pcs M6x16 Bolt** from **Bolt Pack Step 5** for assembly as shown in the Figure 5.





Figure 5



700 RAM Blind

650 RAM Blind

Important Note:

When use the tower with **700 RAM Blind**, pls install the **Part#7 Blind Brackets** as shown in the Figure 5A.

When use the tower with **650 RAM Blind**, pls install the **Part#7 Blind Brackets** as shown in the Figure 5B.




Figure 5A




Figure 5B

ASSEMBLY INSTRUCTIONS:

Step 6:

Take **Part#8 Entry Platform Support Bar (2pcs)** from **5ft Box3**.

By using **2pcs M8x80 Bolt** from **Bolt Pack Step6** for assembly as shown in the Figure 6.




Figure 6

Step 7:

Take **Part#9 Entry Platform (1pc)** from **5ft Box2**.

Take **Part#10 Entry Platform Handrail (2pcs)** from **5ft Box3**.

Install Part#10 to Part#9 by using **8pcs M8x45 Bolt** and **2pcs Entry Platform Brackets** from **Bolt Pack Step 7** for assembly as shown in the Figure 7.




Figure 7

ASSEMBLY INSTRUCTIONS:

Step 8:

Install **Assembled Entry Platform** to **Assembled Platform** by using **4pcs M8x40 Bolt** and **2pcs M8x60 Bolt** from **Bolt Pack Step 8A&8B&8C** for assembly as shown in the Figure 8A&8B&8C.




Figure 8C




Figure 8A

Figure 8B

ASSEMBLY INSTRUCTIONS:

Step 9:

Take **Part#12 Bent Ladder Supports (2pcs)** from **5ft Box2**.

Install Part#12 to Part#9 by using **4pcs M8x85 Bolt** from **Bolt Pack Step 9** for assembly as shown in the Figure 9.




Figure 9

Step 10:

Take **Part#13 Upper Ladder Section (1PC)** from **5ft Box3**.

Install Part#13 to Part#12 by using **2pcs M8x35 Bolt** from **Bolt Pack Step 10** for assembly as shown in the Figure 10.




Figure10

ASSEMBLY INSTRUCTIONS:

Step 11:

Take **Part#14 Ladder Support Bar #1 (2pcs)** from **5ft Box3**.

Install Part#14 to Part#12 and Part#13 by using **4pcs M8x55 Bolt** from **Bolt Pack Step 11** for assembly as shown in the Figure 11.




Figure 11

Step 12:

Take **Part#15 Ladder Handrail (2pcs)** from **5ft Box2**.

Install Part#15 to Part#13 by using **4pcs M8x55 Bolt** from **Bolt Pack Step 12** for assembly as shown in the Figure 12.




Figure 12

ASSEMBLY INSTRUCTIONS:

Step 13:

Take **Part#16 Leg Brackets (4pcs)** from **Bolt Pack Step 13**.

Install Part#16 to the top of Part#6 by using **4pcs M6x55 Bolt** from **Bolt Pack Step 13** for assembly as shown in the Figure 13.




Figure 13

Step 14:

Take **Part#17 Male Cross Brace #1 (8pcs)** from **5ft Box3**.

Install Part#17 to Part#16 by using **8pcs M6x20 Bolt** from **Bolt Pack Step 14** for assembly as shown in the Figure 14.

*****IMPORTANT NOTE*****
Please proceed to **STEP 20** for **10FT tower setup with extension kit**.




Figure 14

ASSEMBLY INSTRUCTIONS:

NOTE

5FT Tower Setup Only

Step 15:

Take **Part#16 Leg Brackets (4pcs)** from **Bolt Pack Step 15**.

Install Part#16 to the bottom of Part#6 by using **4pcs M6x55 Bolt** from **Bolt Pack Step 15** for assembly as shown in the Figure 15.




Figure 15

NOTE

5FT Tower Setup Only

Step 16:

Take **Part#18 Stand Feet (4pcs)** from **5ft Box3**.

Install Part#18 to Part#6 by using **4pcs M6x55 Bolt** from **Bolt Pack Step 16** for assembly as shown in the Figure 16.




Figure 16

ASSEMBLY INSTRUCTIONS:

NOTE

5FT Tower Setup Only

Step 17:

Take **Part#19 Female Cross Brace (8pcs)** from **5ft Box3**.

Install Part#19 to Part#16 and Part#17 by using **8pcs M6x30 Bolt** and **8pcs M6x20 Bolt** from **Bolt Pack Step 17A&17B** for assembly as shown in the Figure 17A&17B.




Figure 17B




Figure 17A

NOTE

5FT Tower Setup Only

Step 18:

Take **Part#20 Ladder Feet (2pcs)** from **5ft Box3**.

Install Part#18 to Part#13 by using **2pcs M8x35 Bolt** from **Bolt Pack Step 18** for assembly as shown in the Figure 18.




Figure 18

ASSEMBLY INSTRUCTIONS:

*****NOTE*****

5FT Tower Setup Only

Step 19:

Take **Part#21 Ground Stakes (6pcs)** from **5ft Box3**.

Install Parts#21 to Part#18.

5FT Tower is completed.




Figure 19

Step 20:

Take **Part#18 Stand Feet (4pcs)** from **5ft Box3**.

Take **Part#22 Lower Leg (4pcs)** from **10ft Box1**.

Install Part#18 to Part#22 by using **4pcs M6x55 Bolt** from **Bolt Pack Step 20** for assembly as shown in the Figure 20.




Figure 20

ASSEMBLY INSTRUCTIONS:

Step 21:

Install Part#22 Assembled Lower Legs to Part#6 by using **4pcs M6x55 Bolt** from **Bolt Pack Step 21** for assembly as shown in the Figure 21.




Figure 21

Step 22:

Take **Part#16 Leg Brackets (4pcs)** from **Bolt Pack Step 22**.

Install Part#16 to the bottom of Part#22 by using **4pcs M6x55 Bolt** from **Bolt Pack Step 22** for assembly as shown in the Figure 22.




Figure 22

ASSEMBLY INSTRUCTIONS:

Step 23:

Take **Part#23 Middle Cross Brace (8pcs)** from **10ft Box1**.

Install Part#23 to Part#17 by using **8pcs M6x30 Bolt** from **Bolt Pack Step 23** for assembly as shown in the Figure 23.




Figure 23

Step 24:

Take **Part#19 Female Bottom Cross Brace (4pcs)** from **10ft Box1**.

Take **Part#24 Male Bottom Cross Brace (4pcs)** from **10ft Box1**.

Install Part#19 to Part#24 by using **4pcs M6x30 Bolt** from **Bolt Pack Step 24** for assembly as shown in the Figure 24.





Figure 24

ASSEMBLY INSTRUCTIONS:

Step 25:

Take **Part#19 Female Cross Brace (8pcs)** from **5ft Box3**.

Install Part#19 and Assembled Bottom Cross Braces by using **8pcs M6x30 Bolt** and **8pcs M6x20 Bolt** from **Bolt Pack Step 25A&25B** for assembly as shown in the Figure 25A&25B.



Step 26:

Take **Part#25 Lower Ladder Section (1pc)** from **10ft Box1**.

Take **Part#26 Ladder Brackets (2pcs)** from **Bolt Pack Step 26**.

Install Part#25 and Part#26 to Part#13 by using **2pcs M8x35 Bolt** from **Bolt Pack Step 26** for assembly as shown in the Figure 26.




Figure 26

ASSEMBLY INSTRUCTIONS:

Step 27:

Take **Part#27 Ladder Support Bar #2 (2pcs)** from **10ft Box1**.

Install Part#27 to Part#26 and Part#22 by using **2pcs M8x60 Bolt** and **2pcs M8x20 Bolt** from **Bolt Pack Step 27A&27B** for assembly as shown in the Figure 27A&27B.





Figure 27A

Figure 27B



Step 28:

Take **Part#20 Ladder Feet (2pcs)** from **5ft Box3**.

Install Part#18 to Part#25 by using **2pcs M8x35 Bolt** from **Bolt Pack Step 28** for assembly as shown in the Figure 28.





Figure 28




ASSEMBLY INSTRUCTIONS:

Step 29:

Take **Part#21 Ground Stakes (6pcs)** from **5ft Box3**.


Install Parts#21 to Part#18.

10FT Tower is completed.



Quad Pod Tower

Figure 3



ANCHORING INSTRUCTIONS: **WARNING**

Never install Quad Pod Tower under or near overhead utility lines or poles. Always stay minimum of 50 feet away. Always check ground under Quad Pod Tower to make sure it is level and firm. Un-level/sloping ground or uneven surfaces (e.g. one foot on a rock) can cause Quad Pod Tower to tilt or shift as you climb into or use Quad Pod Tower. Always make sure platform is level before using. If it is not, select a new level location.

Before anchoring Quad Pod Tower always contact your local or national utilities agency for location of electric lines, gas lines, fiber optic lines, etc. Contact with utility lines may result in serious injury or death!

Always properly anchor Quad Pod Tower to the ground by cementing legs into the ground. Failure to do this can result in platform tipping in high wind conditions.

FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH!

 WARNING

End Users Responsibility to properly anchor this product to the ground. Always follow all local building codes to properly anchor tower structure to the ground. If you are not knowledgeable or capable of properly anchoring load bearing tower, consult with licensed builder to properly anchor your Quad Pod Tower to the ground.

FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH AND MAY RESULT IN DAMAGE TO YOUR QUAD POD TOWER.

1. Always make sure ground is level and firm under each leg. Always assure platform is level by placing level on platform. Level platform by removing or adding soil under legs of Quad Pod Tower.
2. Following all local building codes, anchor Quad Pod Tower to the ground to prevent tip over.

USE:

! WARNING

Before each use, inspect Quad Pod Tower and all safety devices for damage including but not limited to corrosion, cracks, deformity, bends, rot, wear, cuts or fraying and other damage to ladder, hand rail, legs, platform, supports, blind, hardware, etc.

Do not use if damage, wear, deterioration, vandalism, etc. is detected or suspected.

Never wear rings, jewelry or loose fitting clothing when installing and/or using this product.

Do not climb ladder or use without having Quad Pod Tower properly anchored to ground and platform level.

Do not climb onto landing platform or use ladder with another person. Ladder and landing platform are designed for and intended for only one person at a time.

This product is not intended for use by children under age of 18 without adult supervision.

Use heat source at your own risk – FIRE AND CARBON MONOXIDE HAZARD IN ENCLOSED AREA – Follow heat source instructions, warnings and use proper ventilation requirements.

Do not jump, bounce, hop, rock back and forth, etc. on or in Quad Pod Tower.

Do not lean out of or against blind walls, windows or hand rails.

Do not stand, climb, sit or lean on hand rails.

Always stay centered on platform with minimal movement.

Never hunt at heights you are not completely comfortable.

Never Hurry! While climbing, make slow, even movements and make sure you have proper 3 point contact with Quad Pod Tower every time you move.

Always inform someone of hunting location, where Quad Pod Tower is located, and expected duration of hunt.

Always have second adult present or at least accessible by cell phone or other means when using this product.

Ability to get help quickly may save your life in event of a fall.

Always take and use signal device (mobile phone, radio, whistle, signal flare or personal locating device – PLD) when using this product. Always keep signal device on you and readily available at all times.

Always use hoist rope to pull up bow, crossbow, firearm, backpack or other gear only after being secured on platform. Firearm, crossbow, and bow must be pulled up unloaded with firearm chamber open and muzzle down. Never climb with anything on your back.

FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH!

1. Climb ladder using 3-point climbing method while leaning forward. Before stepping onto platform, open door to blind.
2. Enter blind and close door. Your elevated blind is now ready to be used!
3. Exit Elevated Blind. Always close and latch all window. Exit blind by facing blind and step down on ladder. When both feet are on ladder step, close door. Use 3 point climbing method to climb down ladder.

MAINTENANCE:

WARNING

This product contains no user serviceable parts.

Never use Quad Pod Tower that is not level or properly anchored. Due to natural settling, it may be necessary to re-level Quad Pod Tower.

This product is used to support you at height. Never use a Quad Pod Tower that is damaged in any way. Do not use this product if it is not wholly free of damage. If you have any questions, e-mail support at sales@ramblinds.com for assistance. Proper maintenance and inspection is required for this product.

Only use RAM Blinds authorized replacement parts. The use of unauthorized replacement parts may result in serious injury or death.

Always inspect elevated tower, legs, anchors, ladder/stairs, support braces, platform, handrails, hardware, etc. for damage including but not limited to corrosion, cracks, deformity, bends, rot, wear, cuts or fraying and other damage.

Do not use if damage, wear, rot, deterioration, vandalism, etc. is detected or suspected.

FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH!

This Quad Pod Tower is designed to be maintenance free but should any damage occur to any part of your Quad Pod Tower or to purchase replacement parts, e-mail support at sales@ramblinds.com for assistance.

Due to the weight of this Quad Pod Tower, natural settling of the product may occur over time and it may be necessary to re-level Quad Pod Tower.

Even though this product contains a premium finish on all exposed surfaces, no finish will last forever and when finish is diminished or gone, corrosion can occur. To keep your Quad Pod Tower corrosion free, as part of routine maintenance, apply Rustoleum paint or similar product to any place that finish has begun to diminish or begun to corrode.

TROUBLE SHOOTING:



Do not make adjustments to Quad Pod Tower while on platform. Make all adjustments at ground level or using a household step ladder.

PROBLEM	SOLUTION
Missing parts	Do not use. Contact customer service at sales@ramblinds.com
Problems with assembly	Do not use. Contact customer service at sales@ramblinds.com
Platform is not level.	Do not climb or use. Level Quad Pod Tower and anchor platform to ground following local building codes.
Quad Pod Tower is bent, cracked, shows signs of corrosion or damaged in any way.	Do not use. Remain at ground level. Contact customer service at sales@ramblinds.com for assistance.



LIMITED WARRANTY*:

LIMITED THREE YEAR WARRANTY. WE WARRANT THIS PRODUCT AGAINST ANY MANUFACTURER DEFECTS IN MATERIALS AND WORKMANSHIP FOR PERIOD OF THREE YEARS FROM DATE OF PURCHASE FROM AUTHORIZED RETAILER TO THE **ORIGINAL OWNER**. WE WILL REPAIR OR REPLACE ANY PART FOUND DEFECTIVE IF THE UNIT CLAIMED TO BE DEFECTIVE IS RETURNED TO US POSTAGE PREPAID, WITHIN WARRANTY PERIOD. CONTACT CUSTOMER SERVICE AT SALES@RAMBLINDS.COM FOR WARRANTY CLAIMS.

This warranty is void if any product has been subjected to misuse, abuse, neglect (including but not limited to improper maintenance or failure to follow instructions), storage, improper use, misapplication, accident, normal wear, modification, adjustment, or repair.

NO OTHER WARRANTIES WHETHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, SHALL APPLY TO THE PRODUCT.

LIMITATION OF LIABILITY

It is expressly understood that our liability for this product, whether due to breach of warranty, negligence, strict liability, or otherwise, is limited to repair of the product as stated above. We will not be liable for any other injury, loss, damage, or expense, whether direct or consequential, including but not limited to loss of use, income, profit, or damage to material from use of this product howsoever caused.

SERVICING YOUR PRODUCT:

If you have any difficulties, need repairs, or have questions about your blind, please contact us first by email at sales@ramblinds.com, please do not return the blind to a store unless instructed by the retailer.

PLEASE NOTE:

We reserve the right to make substitutions on warranty coverage for any reason, including but not limited to available parts.

*Limited Warranty to the Original Owner.

NEXCAM INC.
405 Annandale Blvd.,
Annandale, MN 55302
Email: sales@ramblinds.com
Website: <https://ramblinds.com>

